

ORDER INFORMATION

Company Name:

PO#:

Delivery Address:

Customer Ref:

Order No:

(sales use only)

Suburb:

State:

Postcode:

Date Required

Lead time 8-10 weeks

Phone:

Email:

Date Ordered:

PRODUCT REFERENCE

Images shown are examples for product identification only.
Final selections must be specified in the order table.

1. AEROLITE DOOR EXAMPLE

Example Frame Finish:
Smoky Grey

Example Glass:
Pure Clear

Example Handle:
Full-Length Handle

2. HANDLE EXAMPLE



180mm Handle shown
Other handle option
Ref Page 3.

3. HINGE HARDWARE EXAMPLE



Hettich Sensys hinge
included with order.

Hinge plates supplied
according to selected
side panel thickness.

For hinge positions
and clearances,
Ref Page 2.

PRODUCT SNAPSHOT

Series	Aerolite Series
Door Type	Hinged slim-frame glass door
Width Range	250-600mm
Height Range	300-2800mm
Door Thickness	17.7mm
Overall Thickness with Handle	36mm
Application	Hinged cabinet doors only

AVAILABLE FRAME FINISH

POWDER COATING



BAKED PAINT FINISH




AVAILABLE GLASS SELECTION


PURE GLASS COLLECTION



REFLECT GLASS COLLECTION



TEXTURE GLASS COLLECTION



BEFORE YOU ORDER


- This form is for Aerolite hinged cabinet doors only.
- Not applicable to standard drawer fronts, lift-up doors, sliding doors, or non-hinged panels.
- Width and height must be finished door dimensions.
- Lead time begins after all specifications are confirmed.

HINGE SIDE, HINGE POSITIONS & CLEARANCES

1. HINGE SIDE - FRONT VIEW


The hinge side is defined when viewing the door from the finished front face.

The handle is always positioned on the side opposite the hinge.



2. HINGE POSITIONS - FROM BOTTOM ONLY

Hinge Centre Position = distance from bottom edge to hinge centre.




HINGE QUANTITY GUIDE

Door Height (H)	Recommended Hinge Quantity
$300 \leq H \leq 800$	2
$800 < H \leq 1200$	3
$1200 < H \leq 1800$	4
$1800 < H \leq 2800$	5

Example:

If door height is 2200mm and the top hinge is 120mm from the top, enter H5 = 2080mm.

3. MINIMUM DOOR CLEARANCES - TOP VIEW




Please refer to the dimensions shown in the diagram when designing door sizes.
AeroFrame is not responsible for issues caused by insufficient clearance or incorrect cabinet / door dimensions.

4. HINGE HARDWARE & SIDE PANEL SETUP

A. HINGE KEY DATA

Hinge	Hettich Sensys
Application	Overlay, Soft Closing
Opening Angle	95°
Arm Length	65mm
Integrated Overlay Adjustment	±2mm
Integrated Depth Adjustment	+3mm / -2mm
Finish	Obsidian Black

B. SIDE PANEL DRILLING REFERENCE









C. SIDE PANEL THICKNESS & SUPPLIED HINGE PLATE

Please pick the applicable side panel thickness.
AeroFrame will supply the matching hinge plates.
If no option is selected, 0mm hinge plates will be supplied by default.

Tick	Side Panel Thickness (T)	Hinge Plate Requirement
☐	T = 16mm	3mm hinge plate required
☐	T = 17mm	0mm hinge plate required
☐	T = 18mm	0mm hinge plate required

HANDLE OPTIONS

Handle is always located on the side opposite the hinge.

OPTION A 180mm Handle / Standard Tall Door Position Handle height: 180mm Handle bottom to door bottom: 1000mm Valid door height: $1600 < H \leq 2800\text{mm}$ 	OPTION B 1180mm Half-Height Handle Handle height: 1180mm Handle bottom to door bottom: 35mm Valid door height: $2000 \leq H \leq 2800\text{mm}$ 	OPTION C Full-Length Handle Top clearance: 35mm Bottom clearance: 35mm Valid door height: $300 \leq H \leq 2800\text{mm}$ 
OPTION D 180mm Handle / Top Position (Recommended for shorter doors.) Handle height: 180mm Handle top to door top: 35mm Valid door height: $300 \leq H \leq 1600\text{mm}$ 	OPTION E 180mm Handle / Bottom Position (Recommended for shorter doors.) Handle height: 180mm Handle bottom to door bottom: 35mm Valid door height: $300 \leq H \leq 1600\text{mm}$ 	OPTION F No Handle - - Valid door height: $300 \leq H \leq 2800\text{mm}$ 



CABINET ALUMINIUM FRAMED DOORS

AEROLITE SERIES ORDER FORM

Slim-frame glass door with narrow-border side hinge

Ver: V12062601

AEROLITE SERIES – LINE ITEM ORDER TABLE

Production will follow the specifications entered below.
Please complete one line per door size / configuration.

Line No.	Width (mm) 250–600 mm	Height (mm) 300–2800 mm	QTY	Frame Finish Ref Page 1	Panel Finish Ref Page 1	Hinge Side (L or R) Front View Ref Page 2	Hinge Position (mm)					Handle Option A / B / C / D / E / F Ref page 3	Remarks
							H1	H2	H3	H4	H5		
							Hinge centre to bottom edge Ref page 2						
1													
2													
3													
4													
5													
6													
7													
8													
9													
10													



CONFIRMATION CHECKLIST

- ☐ Finished door dimensions confirmed.
- ☐ Frame finish and glass selection confirmed.
- ☐ Hinge side confirmed from front view.
- ☐ Hinge positions measured from bottom edge.
- ☐ Handle option confirmed.
- ☐ Custom-made products cannot be changed after production starts.

Customer Signature: _____

Name: _____

Date: _____

Sales Approval: _____



CABINET ALUMINIUM FRAMED DOORS

AEROLITE SERIES ORDER FORM

Slim-frame glass door with narrow-border side hinge

Ver: V12062601

AEROLITE SERIES – LINE ITEM ORDER TABLE

Production will follow the specifications entered below.
Please complete one line per door size / configuration.

Line No.	Width (mm) 250–600 mm	Height (mm) 300–2800 mm	QTY	Frame Finish Ref Page 1	Panel Finish Ref Page 1	Hinge Side (L or R) Front View Ref Page 2	Hinge Position (mm)					Handle Option A / B / C / D / E / F Ref page 3	Remarks
							H1	H2	H3	H4	H5		
							Hinge centre to bottom edge Ref page 2						
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													



CONFIRMATION CHECKLIST

- ☐ Finished door dimensions confirmed.
- ☐ Frame finish and glass selection confirmed.
- ☐ Hinge side confirmed from front view.
- ☐ Hinge positions measured from bottom edge.
- ☐ Handle option confirmed.
- ☐ Custom-made products cannot be changed after production starts.

Customer Signature: _____

Name: _____

Date: _____

Sales Approval: _____



CABINET ALUMINIUM FRAMED DOORS
AEROLITE SERIES ORDER FORM
Slim-frame glass door with narrow-border side hinge

Ver: V12062601

AEROLITE SERIES – LINE ITEM ORDER TABLE

Production will follow the specifications entered below.
Please complete one line per door size / configuration.

Line No.	Width (mm) 250–600 mm	Height (mm) 300–2800 mm	QTY	Frame Finish Ref Page 1	Panel Finish Ref Page 1	Hinge Side (L or R) Front View Ref Page 2	Hinge Position (mm)					Handle Option A / B / C / D / E / F Ref page 3	Remarks
							H1	H2	H3	H4	H5		
							Hinge centre to bottom edge Ref page 2						
21													
22													
23													
24													
25													
26													
27													
28													
29													
30													



CONFIRMATION CHECKLIST

- ☐ Finished door dimensions confirmed.
- ☐ Frame finish and glass selection confirmed.
- ☐ Hinge side confirmed from front view.
- ☐ Hinge positions measured from bottom edge.
- ☐ Handle option confirmed.
- ☐ Custom-made products cannot be changed after production starts.

Customer Signature: _____ Name: _____ Date: _____ Sales Approval: _____



CABINET ALUMINIUM FRAMED DOORS

AEROLITE SERIES ORDER FORM

Slim-frame glass door with narrow-border side hinge

Ver: V12062601

AEROLITE SERIES – LINE ITEM ORDER TABLE

Production will follow the specifications entered below.
Please complete one line per door size / configuration.

Line No.	Width (mm) 250–600 mm	Height (mm) 300–2800 mm	QTY	Frame Finish Ref Page 1	Panel Finish Ref Page 1	Hinge Side (L or R) Front View Ref Page 2	Hinge Position (mm)					Handle Option A / B / C / D / E / F Ref page 3	Remarks
							H1	H2	H3	H4	H5		
							Hinge centre to bottom edge Ref page 2						
31													
32													
33													
34													
35													
36													
37													
38													
39													
40													



CONFIRMATION CHECKLIST

- ☐ Finished door dimensions confirmed.
- ☐ Frame finish and glass selection confirmed.
- ☐ Hinge side confirmed from front view.
- ☐ Hinge positions measured from bottom edge.
- ☐ Handle option confirmed.
- ☐ Custom-made products cannot be changed after production starts.

Customer Signature: _____

Name: _____

Date: _____

Sales Approval: _____